Revision Date 14.01.2016

Print Date 15.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Shell Corena S2 P 68
Product code	:	001D7778

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	Compressor oil.
Uses advised against	This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the supplier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier Telephone Telefax	 Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom (+44) 08007318888
Email Contact for Safety Data Sheet	: If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: +44-(0) 151-350-4595

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	No Hazard Symbol required	
Signal word	:	No signal word	
Hazard statements	:		PHYSICAL HAZARDS: Not classified as a physical hazard

Version 3.2	Revision Date	14.01.2016	Print Date 15.01.2016
		according to CLP criteria HEALTH HAZARDS: Not classified as a healt criteria. ENVIRONMENTAL HAZ Not classified as environ according to CLP criteria	th hazard under CLP ZARDS: nmental hazard
Precautionary statements	Prevention:		
	Response: Storage: Disposal:	No precautionary phras	
		No precautionary phrase	es.
		No precautionary phras	es.
	Diopoduli	No precautionary phrase	es.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

: * contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65-0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69-9 (01-0000020163-82).

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Interchangeable low viscosity base oil		Asp. Tox.1; H304	0 - 90

SAFETY DATA SHEET Regulation 1907/2006/EC

Shell Corena S2 P 68			
Version 3.2	Revision Date 14.01.2016	Print Date 15.01.2016	
(<20,5 cSt @40°C) *			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures		
General advice	:	Not expected to be a health hazard when used under normal conditions.
Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	:	Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.
If swallowed	:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms	:	Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment	:	Notes to doctor/physician: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.	
Unsuitable extinguishing media	: Do not use water in a jet.	
Special hazards arising from the substance or mixture		
Specific hazards during	: Hazardous combustion products may include: A complex	

5.2 S

Specific hazards during	: Hazardous combustion products may include: A complex
firefighting	mixture of airborne solid and liquid particulates and gases

Version 3.2	Revision Date 14.01.2016	Print Date 15.01.2016
	(smoke). Carbon monoxide may be combustion occurs. Unidentified org compounds.	
5.3 Advice for firefighters		
Special protective equipment for firefighters	: Proper protective equipment includir gloves are to be worn; chemical resi large contact with spilled product is e Breathing Apparatus must be worn v a confined space. Select fire fighter's relevant Standards (e.g. Europe: EN	stant suit is indicated if expected. Self-Contained when approaching a fire in s clothing approved to
Specific extinguishing methods	: Use extinguishing measures that are circumstances and the surrounding	e appropriate to local

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 6.1.1 For non emergency personnel: Avoid contact with skin and eyes. 6.1.2 For emergency responders: Avoid contact with skin and eyes.
----------------------	---

6.2 Environmental precautions

Environmental precautions	: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
	Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	 Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.
-------------------------	---

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

Revision Date 14.01.2016

SECTION 7: Handling and storage				
General Precautions	 Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material. 			
7.1 Precautions for safe handling				
Advice on safe handling	 Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires. 			
Product Transfer	 This material has the potential to be a static accumulator. Proper grounding and bonding procedures should be used during all bulk transfer operations. 			
7.2 Conditions for safe storage, in	cluding any incompatibilities			
Other data	: Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.			
	Store at ambient temperature.			
	Refer to section 15 for any additional specific legislation covering the packaging and storage of this product.			
	The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guidance may be obtained from the local environmental agency office.			
Packaging material	 Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC. 			
Container Advice	: Polyethylene containers should not be exposed to high temperatures because of possible risk of distortion.			
7.3 Specific end use(s)				
Specific use(s)	: Not applicable			

Revision Date 14.01.2016

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral		TWA	5 mg/m3	US. ACGIH Threshold Limit Values

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

8.2 Exposure controls

Engineering measuresThe level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

 Version 3.2
 Revision Date 14.01.2016
 Print Date 15.01.2016

 Retain drain downs in sealed storage pending disposal or subsequent recycle.
 Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking.

 Betwission Date 14.01.2016
 Print Date 15.01.2016

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection	
Remarks	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.
	For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.
Skin and body protection	Skin protection is not ordinarily required beyond standard work clothes. It is good practice to wear chemical resistant gloves.
Respiratory protection	No respiratory protection is ordinarily required under normal
18	8000010057

rsion 3.2	Revision Date 14.01.2016	Print Date 15.01.201	
	conditions of use. In accordance with good industria precautions should be taken to av If engineering controls do not main concentrations to a level which is health, select respiratory protection specific conditions of use and mee Check with respiratory protective of Where air-filtering respirators are appropriate combination of mask a Select a filter suitable for combine and vapours [Type A/Type P boilin meeting EN14387 and EN143.	roid breathing of material. Intain airborne adequate to protect worker on equipment suitable for the eting relevant legislation. equipment suppliers. suitable, select an and filter. ed particulate/organic gases	
Thermal hazards	: Not applicable		
Hygiene measures	reasonably practicable. Reference	: Exposure to this product should be reduced as low as reasonably practicable. Reference should be made to the Health and Safety Executive's publication "COSHH Essentials".	
Environmental exposure	controls		
General advice	: Take appropriate measures to fulf relevant environmental protection contamination of the environment Chapter 6. If necessary, prevent being discharged to waste water. treated in a municipal or industrial before discharge to surface water Local guidelines on emission limit must be observed for the discharg vapour.	legislation. Avoid by following advice given in undissolved material from Waste water should be waste water treatment plant s for volatile substances	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: Liquid at room temperature.
Colour	: light brown
Odour	: Slight hydrocarbon
Odour Threshold	: Data not available
рН	: Not applicable
pour point	: -33 °CMethod: ASTM D97

SAFETY DATA SHEET Regulation 1907/2006/EC Shell Corena S2 P 68

ion 3.2		Revision Date 14.01.2016	Print Date 15.01.2
Initial boiling point and boiling range	:	> 280 °Cestimated value(s)	
Flash point	:	235 °C Method: ASTM D92	
Evaporation rate	:	Data not available	
Flammability (solid, gas)	:	Data not available	
Upper explosion limit	:	Typical 10 %(V)	
Lower explosion limit	:	Typical 1 %(V)	
Vapour pressure	:	< 0.5 Pa (20 °C) estimated value(s)	
Relative vapour density	:	> 1estimated value(s)	
Relative density	:	0.883 (15 °C)	
Density	:	883 kg/m3 (15.0 °C) Method: ASTM D1298	
Solubility(ies)			
Water solubility	:	negligible	
Solubility in other solvents	:	Data not available	
Partition coefficient: n- octanol/water	:	Pow: > 6(based on information on simila	r products)
Auto-ignition temperature	:	> 320 °C	
Viscosity			
Viscosity, dynamic	:	Data not available	
Viscosity, kinematic	:	68 mm2/s (40.0 °C) Method: ASTM D445	
		7.8 mm2/s (100 °C) Method: ASTM D445	
Explosive properties	:	Not classified	
Oxidizing properties	:	Data not available	

9.2 Other information

SAFETY DATA SHEET Regulation 1907/2006/EC Shell Corena S2 P 68

Version 3.2	Revision Date 14.01.2016	Print Date 15.01.2016
Conductivity Decomposition temperature	: This material is not expected to be a : Data not available	static accumulator.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Hazardous reactions	Reacts with strong oxidising agents.			
10.4 Conditions to avoid Conditions to avoid	Extremes of temperature and direct sunlight.			
10.5 Incompatible materials				
Materials to avoid	Strong oxidising agents.			
10.6 Hazardous decomposition products				
Hazardous decomposition	Hazardous decomposition products are not expected to form during normal storage.			

SECTION 11: Toxicological information

11.1 Information on toxicological effects

	Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise the data presented is representative of the product as a whole, rather than for individual component(s).	
	Information on likely routes of exposure	:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.	
Ас	ute toxicity <u>Product:</u>			
	Acute oral toxicity	:	LD50 rat: > 5,000 mg/kg Remarks: Expected to be of low toxicity:	

Version 3.2	Revision Date 14.01.2016	Print Date 15.01.2016
Acute inhalation toxicity	: Remarks: Not considered to be an inhalation hazard under normal conditions of use.	
Acute dermal toxicity	: LD50 Rabbit: > 5,000 mg/kg Remarks: Expected to be of low toxi	city:

Skin corrosion/irritation

Product:

Remarks: Expected to be slightly irritating., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Serious eye damage/eye irritation

Product:

Remarks: Expected to be slightly irritating.

Respiratory or skin sensitisation

Product:

Remarks: For respiratory and skin sensitisation:, Not expected to be a sensitiser.

Germ cell mutagenicity

Product:

: Remarks: Not considered a mutagenic hazard.

Carcinogenicity

Product:

Remarks: Not expected to be carcinogenic.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Reproductive toxicity

Product:

Revision Date 14.01.2016

Print Date 15.01.2016

Remarks: Not expected to impair fertility., Not expected to be a developmental toxicant.

STOT - single exposure

Product:

Remarks: Not expected to be a hazard.

STOT - repeated exposure

Product:

Remarks: Not expected to be a hazard.

Aspiration toxicity

Product:

Not considered an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

Summary on evaluation of the CMR properties

Germ cell mutagenicity- Assessment		This product does not meet the criteria for classification in categories 1A/1B.
Carcinogenicity - Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.
Reproductive toxicity - Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.

Revision Date 14.01.2016

SECTION 12: Ecological information

12.1 Toxicity

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
<u>Product:</u>		
Toxicity to fish (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to crustacean (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to algae/aquatic plants (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to fish (Chronic toxicity)	:	Remarks: Data not available
Toxicity to crustacean (Chronic toxicity)	:	Remarks: Data not available
Toxicity to microorganisms (Acute toxicity)	:	Remarks: Data not available

12.2 Persistence and degradability

Product:

Biodegradability	: Remarks: Expected to be not readily biodegradable., Major constituents are expected to be inherently biodegradable, but contains components that may persist in the environment.
12.3 Bioaccumulative potential	
Product:	
Bioaccumulation	: Remarks: Contains components with the potential to bioaccumulate.
Partition coefficient: n- octanol/water	: Pow: > 6Remarks: (based on information on similar products)
12.4 Mobility in soil	

Version 3.2	Revision Date 14.01.2016	Print Date 15.01.2016
Product:		
Mobility	 Remarks: Liquid under most environmer enters soil, it will adsorb to soil particles mobile. Remarks: Floats on water. 	
12.5 Results of PBT and vPvB a	ssessment	
Product:		
Assessment	: This mixture does not contain any REAC substances that are assessed to be a Pl	
12.6 Other adverse effects		
Product:		
Additional ecological information	 Product is a mixture of non-volatile comp expected to be released to air in any sig Not expected to have ozone depletion po photochemical ozone creation potential potential. Poorly soluble mixture., May cause phys organisms. Mineral oil is not expected to cause any aquatic organisms at concentrations less 	nificant quantities., otential, or global warming sical fouling of aquatic chronic effects to

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.
	Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.
Contaminated packaging :	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local legislation Waste catalogue :	EU Waste Disposal Code (EWC):
Waste Code :	13 02 05*
Remarks :	Classification of waste is always the responsibility of the end
14 / 18	800001005701

GB

Revision Date 14.01.2016

Print Date 15.01.2016

user.

SECTION 14: Transport information

14.1 UN number		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 Proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.5 Environmental hazards		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
14.6 Special precautions for user		
Remarks	:	Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.
	_	Among II of MARROL 72/70 and the IRC Code
14.7 I ransport in bulk according to		Annex II of MARPOL 73/78 and the IBC Code

Additional Information	:	MARPOL Annex 1 rules apply for bulk shipments by sea.	
Special precautions	:	Not applicable	
Product name	:	Not applicable	
Ship type	:	Not applicable	
Pollution category	:	Not applicable	
	5		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation : Product is not subject to

SAFETY DATA SHEET Regulation 1907/2006/EC Shell Corena S2 P 68

sion 3.2		Revision Date 14.01.2016	Print Date 15.01.201
(Annex XIV)		Authorisa	ation under REACH.
Volatile organic compounds	:	0 %	
Other regulations	:	Environmental Protection Act 1990 (Safety at Work etc. Act 1974. Consu Pollution Prevention and Control Act 1995. Factories Act 1961. The Carri and Use of Transportable Pressure Regulations 2011. Chemicals (Haza Packaging for Supply) Regulations 2 Substances Hazardous to Health Re amended). Merchant Shipping (Dan Pollutants) Regulations 1997. Report and Dangerous Occurrences Regula Personal Protective Equipment Reg Protective Equipment at Work Regula Control of Major Accident Hazards F amended). Renewable Transport Fu (as amended). Energy Act 2011. En (England and Wales) Regulations 20 (England and Wales) Regulations 20 (England and Wales) Regulations 20 Planning (Hazardous Substances) A regulations. The Environmental Prof	imers Protection Act 1987. t 1999. Environment Act age of Dangerous Goods Equipment (Amendment) rd Information and 2009. Control of egulations 2002 (as gerous Goods and Marine rting of Injuries, Diseases ations 1995 (as amended). ulations 2002. Personal lations 1992. Hazardous tions 2005(as amended). Regulations 1999 (as uel Obligations Order 2007 vironmental Permitting D10 (as amended). Act 1990 and associated rection (Controls on

The components of this p	product are reported in the following inventories.
EINECS TSCA	All components listed or polymer exempt.All components listed.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Full text of H-St H304	t atements May be fatal if swallowed and enters airways.
Full text of othe	er abbreviations
Asp. Tox. Abbreviations ar	

,

/ersion 3.2	Revision Date 14.01.2016	Print Date 15.01.201
	scientific dictionaries) and/or websit	es.
	ACGIH = American Conference of C	Governmental Industrial
	Hygienists ADR = European Agreement conce	
	Carriage of Dangerous Goods by R AICS = Australian Inventory of Che	
	ASTM = American Society for Testi	
	BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbe	anzana Xulanas
	CAS = Chemical Abstracts Service	enzene, Aylenes
	CEFIC = European Chemical Indus	
	CLP = Classification Packaging and	Labelling
	COC = Cleveland Open-Cup DIN = Deutsches Institut fur Normu	na
	DMEL = Derived Minimal Effect Lev	
	DNEL = Derived No Effect Level	
	DSL = Canada Domestic Substance	e List
	EC = European Commission EC50 = Effective Concentration fifty	,
	ECETOC = European Center on Ec	
	Toxicology Of Chemicals	
	ECHA = European Chemicals Agen	
	EINECS = The European Inventory Chemical Substances	of Existing Commercial
	EL50 = Effective Loading fifty	
	ENCS = Japanese Existing and New	w Chemical Substances
	Inventory	
	EWC = European Waste Code	n of Classification and
	GHS = Globally Harmonised Syster Labelling of Chemicals	IT OF Classification and
	IARC = International Agency for Re	search on Cancer
	IATA = International Air Transport A	
	IC50 = Inhibitory Concentration fifty	
	IL50 = Inhibitory Level fifty IMDG = International Maritime Dang	nerous Goods
	INV = Chinese Chemicals Inventory	
	IP346 = Institute of Petroleum test	
	determination of polycyclic aromatic	
	KECI = Korea Existing Chemicals Ir LC50 = Lethal Concentration fifty	iventory
	LD50 = Lethal Dose fifty per cent.	
	LL/EL/IL = Lethal Loading/Effective	Loading/Inhibitory loading
	LL50 = Lethal Loading fifty	e fan tha Drawantian af
	MARPOL = International Conventio Pollution From Ships	n for the Prevention of
	NOEC/NOEL = No Observed Effect	Concentration / No
	Observed Effect Level	
	OE_HPV = Occupational Exposure	
	PBT = Persistent, Bioaccumulative PICCS = Philippine Inventory of Ch	
	Substances	
	PNEC = Predicted No Effect Conce	ntration

-

Version 3.2	Revision Date 14.01.2016	Print Date 15.01.2016	
	REACH = Registration Evaluation And Authorisation Of Chemicals RID = Regulations Relating to International Carriage of Dangerous Goods by Rail SKIN_DES = Skin Designation STEL = Short term exposure limit TRA = Targeted Risk Assessment TSCA = US Toxic Substances Control Act TWA = Time-Weighted Average vPvB = very Persistent and very Bioaccumulative		
Further information			
Other information	sheet. It is a non-classified mixture consubstances as detailed in Section 3; Exposure Scenarios for the hazardou have been integrated into the core se	No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous substances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS. A vertical bar () in the left margin indicates an amendment from the previous version.	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.